



# CY1865

## CABLED WRAP

FOLLY GARDEN

#### MEASUREMENTS

Actual Width: 70[80,90] cm

Length: 70[72,74]cm

Cygnet Folly Gardens 100g shade 20202 Fern Cone 10[10:11] balls

Note: Yarn amounts stated are based on average requirements and are therefore approximate

#### **TENSION:**

9 sts and 12 rows to 10 cm, 4 in, measured over stocking stitch using 10 mm needles or the size required to give the correct tension.

VERY IMPORTANT: IT IS ESSENTIAL TO WORK TO THE STATED TENSION TO ENSURE SUCCESS.

If there are less stitches and rows to 10cm, 4in, than the number stated, change to a finer needle, if there are more stitches and rows than stated change to a larger needle.

NOTES: Instructions are given for 70 cm, larger sizes are given in brackets.

Where only one figure is given, this applies to all sizes. Where the figure 0 appears, no sts, rows or times are worked for this size.

Owing to photography and printing restrictions, the colour reproduction is matched as closely as possible to the yarn.

#### **Knitting Needles:**

A pair each of 9mm and 10 mm (13 and 15 US) knitting needles

#### Accessories:

Cable Needle

#### Abbreviations:

alt alternate	g grammes	<b>rs</b> right side
<b>beg</b> beginning	<b>in(s</b> ) inch(es)	<b>st(s)</b> stitch(es)
<b>cm</b> centimetres	<b>K</b> knit	tog together
cont continue	P purl	ws wrong side
dec decrease(ing)	rem remaining	
foll following	rept repeat	

#### **Special Abbreviations**

sk2po. slip one, k2tog, pass slipped stitch over

T5R. slip next 3 sts to cable needle and hold at back of work, k2 then p1, k2 from cable needle.

**T3B**. sl next st to cable needle and hold at back of work, k2 then p1 from cable needle.

T3F. sl next 2 sts to cable needle and hold at front of work, p1 then k2 from cable needle.

MB. Make bobble by k into front, back and front of next st, turn k3, turn P3, turn K3, turn, sk2

#### CABLE PANEL (11 sts)

1<sup>st</sup> row: P3, T5R, P3. 2<sup>nd</sup> row: K3, P2, K1, P2, K3. 3<sup>rd</sup> row: P2, T3B, P1, T3F, P2. 4<sup>th</sup> row: k2, p2, k3, p2, k2. 5<sup>th</sup> row: P1, T3B, P3, T3F, P1. 6<sup>th</sup> row: P3, K5, P3. 7<sup>th</sup> row: P1, K2, P2, MB, P2, K2, P1. 8<sup>th</sup> row: P3, K5, P3. 9<sup>th</sup> row: P1, T3F, P3, T3B, P1. 10<sup>th</sup> row: K2, P2, K3, P2, K2. 11<sup>th</sup> row: P2, T3F, P1, T3B, P2. 12<sup>th</sup> row: K3, P2, K1, P2, K3.

#### BACK

Using 9 mm needles, cast on 73[81,89] sts. 1<sup>st</sup> row: K1[P1, K1] to end. This one row forms Moss Stitch Pattern. (mst) Work a further 7 rows in moss st. Change to 10 mm needles and commence patt 1<sup>st</sup> row: mst 10[12,14], \* work across 11 sts from 1<sup>st</sup> row of cable panel, mst 10[12,14] rep from \* to end. 2<sup>nd</sup> row: mst 10[12,14], \* work across 11 sts from 2nd row of cable panel, mst 10[12,14] rep from \* to end. These 2 rows set the 3 cable panels and moss st. Cont in patt as set until Back measures 45 cm from beg ending with a ws row. (work one more row here for Right Front) Shape Sleeves Dec one st at each end of next and 18[20,22] foll rs rows. Work one row. 35[39,43] sts. Shape Shoulders

Cast off 7[8,9] sts at beg of next 2 rows. 21[23,25] sts. Cast off.

#### **LEFT FRONT**

Using 9 mm needles, cast on 31[35,39] sts and work 8 rows in mst. Change to 10 mm needles and patt. 1<sup>st</sup> row: mst 10[12,14], work across 11 sts from 1<sup>st</sup> row of cable panel, mst 10[12,14]. 2<sup>nd</sup> row: mst 10[12,14], work across 11 sts from 2<sup>nd</sup> row of cable panel, mst 10[12,14]. Cont in patt until work measures 45cm from beg ending with a ws row. **Shape Sleeve** Dec one st at beg of next and 18[20,22] foll rs rows. 12[14,16] sts. Work one row.

Dec one st at beg of next and 18[20,22] foll rs rows. 12[14,16] sts. Work one row **Shape Shoulder** 

Next row: cast off 7[8,9] sts, patt to end.

Cont in mst on these 5[6,7] sts until band fits halfway across back neck. Cast off.

#### **RIGHT FRONT**

Work exactly as for Left Front reversing all shapings by working one extra row.

#### **FINISHING OFF**

Join shoulder seams. Join cast off edges of neckband and sew to back neck. Join side seams.

### Cygnet Yarns Limited

12-14 Adelaide Street, Bradford, West Yorkshire, BD5 0EA

CY1865 © 2024 Designed and published by Cygnet Yarns Limited of 12-14 Adelaide Street, Bradford, BD5 0EA. This pattern is protected by the law of Copyright of the United Kingdom and may not be reproduced or copied. This pattern may be used for manufacturing

purposes up to a limit of 20 garments. For anything more than this, please contact Cygnet Yarns. All other rights are expressly reserved by Cygnet Yarns Ltd.